

# Single-walled carbon nanotube films for organic and perovskite solar cells


Shigeo Maruyama<sup>1\*,2</sup>

<sup>1\*</sup> Department of Mechanical Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan

<sup>2</sup> Energy NanoEngineering Lab., National Institute of Advanced Industrial Science and Technology (AIST), 1-2-1 Namiki, Tsukuba 305-8564, Japan

<sup>1\*</sup> Tel: +81-3-5841-6421, E-mail: [maruyama@photon.t.u-tokyo.ac.jp](mailto:maruyama@photon.t.u-tokyo.ac.jp)

It was found that a film of single-walled carbon nanotubes (SWNTs) can be a dual-functional layer as electron-blocking-layer and transparent electrode through studies of nanotube-silicon heterojunction solar cells [1,2]. This dual functionality is demonstrated for organic and perovskite solar cells. We have demonstrated efficient SWNT/Si solar cells using dry-deposited high-quality SWNTs [1] and honeycomb-structured SWNTs [2]. The SWNT/Si solar cells using the dry deposited SWNT film demonstrated the air-stable power conversion efficiency (PCE) of 11.6 % before any intentional doping process. For organic solar cells, the SWNT/MoO<sub>x</sub>/PEDOT:PSS layer was demonstrated as a dual functional layer replacing ITO and organic electron-blocking-layer. Using PTB7/PC<sub>71</sub>BM mixture as active materials, the PCE of 6 % was obtained for glass substrate and 3.9 % on flexible PET substrate [3]. This dual-functional layer was also demonstrated in double-sided illumination perovskite solar cells using SWNT film instead of electron-blocking-layer and gold electrode with over 9 % PCE (Fig. 1). Another perovskite solar cell structure using SWNTs instead of ITO is also proposed [4].



**Fig. 1. Photograph and SEM image of a perovskite solar cell using SWNT film as electron-blocking-layer and transparent electrode.**

## Acknowledgment

A part of this work was financially supported by Grants-in-Aid for Scientific Research (25107002, 15H05760) and IRENA Project by JST-EC DG RTD, Strategic International Collaborative Research Program, SICORP.

## References

1. K. Cui, T. Chiba, S. Omiya, T. Thurakitseree, P. Zhao, S. Fujii, H. Kataura, E. Einarsson, S. Chiashi, S. Maruyama, *J. Phys. Chem. Lett.*, Vol. 4 (2013), pp. 2571-2576.
2. K. Cui, A. S. Anisimov, T. Chiba, S. Fujii, H. Kataura, A. G. Nasibulin, S. Chiashi, E. I. Kauppinen, S. Maruyama, *J. Mater. Chem. A*, Vol. 2 (2014), pp. 11311-11318.
3. I. Jeon, K. Cui, T. Chiba, A. Anisimov, A. Nasibulin, E. Kauppinen, S. Maruyama, Y. Matsuo, *J. Am. Chem. Soc.*, Vol. 137 (2015), pp. 7982-7985.
4. I. Jeon, T. Chiba, C. Delacou, Y. Guo, A. Kaskela, O. Reynaud, E. I. Kauppinen, S. Maruyama, Y. Matsuo, *Nano Lett.*, Vol. 15 (2015), pp. 6665-6671.